



Europäisches Patentamt
European Patent Office
Office européen des brevets



Publication number: **0 627 692 A1**

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: **94107175.5**

(51) Int. Cl.⁵: **G06F 15/403**

(22) Date of filing: **07.05.94**

(30) Priority: **04.06.93 US 72618**

(43) Date of publication of application:
07.12.94 Bulletin 94/49

(54) Designated Contracting States:
DE FR GB

(71) Applicant: **International Business Machines Corporation**
Old Orchard Road
Armonk, N.Y. 10504 (US)

(72) Inventor: **Li, Shih-Gong**
9402 Mystic Oaks Trail
Austin Texas 78759 (US)
Inventor: **Tate, Bruce Allan**
6308 Harrogate
Austin Texas 78759 (US)

(74) Representative: **Lettieri, Fabrizio**
IBM SEMEA S.p.A.,
Direzione Brevetti,
MI SEG 534,
P.O. Box 137
I-20090 Segrate (Milano) (IT)

(54) **Method and apparatus for modifying a database query.**

(57) An apparatus for modifying a database query including means (300) for graphically displaying in at least two dimensions data (330) obtained from a database by the database query, means (335) for selecting at least one portion of the graphically displayed data (330), and means for modifying the database query according to the selected portion of the graphically displayed data (330). In addition, a method for modifying a database query including the steps of graphically displaying in at least two dimensions data (330) obtained from a database by the database query, selecting at least one portion of the graphically displayed data (330), and modifying the database query according to the selected portion of the graphically displayed data (330).




FIG. 2A

EP 0 627 692 A1

This invention relates generally to computer stored databases and more particularly to a method and apparatus for modifying a database query utilizing a graphical user interface.

Computer stored databases have attracted an increasing amount of interest, not only because of the rapid expansion in the data stored and retrieved by these databases, but also as a result of the data relationships which can be established during the storage or retrieval processes. With the growing prevalence of relational databases, the training and experience of a typical end user has decreased as available resources have increased. Novice users of databases have been particularly desirous of improvements in the graphical user interfaces to control the database applications.

One of the more difficult elements of problem solving when using a database is often the identification of the sources that causes a particular problem. Search statements for queries are usually used for searching information stored in a database in an organized fashion to help problem solving. When users have few clear ideas about how to construct the problem query for solving a problem, a common approach is to start by examining an initial query report resultant from an initial query for more information. Based on this information, the user then decides how to narrow the search further within the database. If these narrowed searches do not produce the desired result then the user must back up to a previous search statement and try again.

Current search techniques are cumbersome, inhibiting efficient query formulation. Usually, query reports are output only and query formulations are input only. When users have no ideas about what exact information is required by a problem, they tend to look in initial query report for more information and then decide how to narrow the search further by modifying the query formulation.

The above drawbacks of the prior art are overcome by the invention as claimed.

Accordingly, the present invention includes an apparatus for modifying a database query including apparatus for graphically displaying in at least two dimensions data obtained from a database by the database query, apparatus for selecting at least one portion of the graphically displayed data, and apparatus for modifying the database query according to the selected portion of the graphically displayed data. In addition, the present invention includes a method for modifying a database query including the steps of graphically displaying in at least two dimensions data obtained from a database by the database query, selecting at least one portion of the graphically displayed data, and modifying the database query according to the selected portion of the graphically displayed data.

A further understanding of the nature and advantages of the present invention may be realized by reference to the remaining portions of the specification and the drawings, where:

Fig. 1 is a block diagram of a typical digital computer utilized by a preferred embodiment of the invention;

Figs. 2A-2B illustrate generating and utilizing a pie chart according to a preferred embodiment of the invention;

Figs. 3A-3E illustrate generating and utilizing various charts according to a preferred embodiment of the invention;

Figs. 4A-4C illustrate a flowchart for performing a preferred embodiment of the invention; and

Fig. 5 illustrates generating and utilizing a multimedia application according to a preferred embodiment of the invention.

This disclosure describes a graphical user interface that allows a user to dynamically update a database query statement. In the preferred embodiment, the user should be able to specify an area, a category, or a section in a an output graph for generating conditions to the database query statement. These graphs could include line graphs, bar charts, pie charts and other well known methods of displaying output in a graphical manner. In addition, a check box facility may be used as described below. Direct manipulation of the graph then results in corresponding changes to the database query that was used to generate the graph, resulting in a more complete problem solving tool.

Incorporated by reference is copending EP-A 94107108.6 filed on the same date as the present application, entitled "Method and system for searching a database utilizing a graphical user interface".

Fig. 1 is a block diagram of a typical digital computer 100 utilized by a preferred embodiment of the invention. The computer includes main processor(s) 110 coupled to a main memory 120 in computer box 105 with input device(s) 130 and output device(s) 140 attached. Main Processor(s) 110 may include a single processor or multiple processors. Input device(s) 130 may include a keyboard, mouse, tablet or other types of input devices. Output device(s) 140 may include a text monitor, plotter or other types of output devices. The main processor may also be coupled to graphics output device(s) 210 such as a graphics display through a graphics adapter 200. Graphics adapter 200 may be located in an adapter slot 160A. Graphics adapter 200 receives instructions regarding graphics from main processor 110 on bus 150, thereby rendering the desired graphics output from the main processor. A modem or other communications adapter 250 and a hard disk 255 may also be located in slots 160C and 160D to provide

communications with main processor 110 across bus 150. Modem 250 may communicate with other data processing systems 270 across communications line 260. Computer readable removable media 290, such as a magnetic diskette or a compact disc, may be inserted into an input/output device 285, such as a disk drive or a CD-ROM (compact disc - read only memory) driver. Data is read from or written to the removable media by the I/O device under the control of the I/O device controller 280. The I/O device controller communicates with the main processor through slot 160E across bus 150. Main memory 120, hard disk 255 and removable media 290 are all referred to as memory for storing data for processing by main processor 110.

The power and usability of database graphic solutions, particularly business graphic solutions, could be drastically improved by allowing user input on the graphic output screens. When looking at a graph, the user may discover a certain range of attribute values that needs to be investigated further. In the preferred embodiment, an input capability is integrated into the graphical output such that the graph becomes a combination of information display and input vehicle. Using such an integrated system, the user may define conditions directly on the graphical output, thereby modifying the database query that was used to generate the graphical output. This query modification capability can either be invoked automatically when the graph is displayed or be explicitly started by a user action.

Figs. 2A-2B illustrate generating and utilizing a pie chart according to a preferred embodiment of the invention. For a pie chart, each piece of pie displays specific information belonging to a certain category. In Fig. 2A, a display 300 has two open windows, a query window 310 and a graph window 320. As illustrated, the user has already entered a database query statement into query window 310 and the system has read the database and generated a pie chart 330 in the graph window 320. In the illustrated example, any categories with small percentages are automatically grouped into a category called "OTHERS". In the preferred embodiment, check boxes 335 are provided in each category of the pie chart. Using a mouse, the user may request more detailed information about a category by using a mouse to move the cursor over a check box corresponding to the desired category and clicking the mouse button. The check box may also be turned back off by merely clicking the mouse button again. As shown in Fig. 2B, when a check box for a category such as "SONY" is checked, the query statement used to generate the original chart is modified to reflect the selection. In addition, the user may select multiple categories by selecting multiple check boxes. When multiple

boxes are checked, these conditions are preferably in logical OR relationships with each other. In an alternative embodiment, rather than using a check box or boxes, the user may select one or more categories by simply selecting the desired portion or portions of the pie chart. As each selection is made, the query statement displayed in the query window is modified to reflect the selection. The user may also perform additional modifications to the query statement directly in the query window. Upon completing the selection process, the user may then press enter or press a second mouse button. The database will be queried with the modified query statement and the results will be displayed in the graph window. At this point, the user may again modify the query statement by selecting portions of the graph or by modifying the query statement in the query window.

Figs. 3A-3E illustrate generating and utilizing various charts according to a preferred embodiment of the invention. In Fig. 3A, display 300 has the same two open windows described above with reference to Fig. 2A, query window 310 and graph window 320. As illustrated, the user has already entered a database query statement into query window 310 and the system has read the database and generated a bar chart 340 in graph window 320. For a bar chart, each bar displays specific information belonging to a certain category. In the preferred embodiment, check boxes 335 are provided below each category of the bar chart for use as described above with reference to the pie chart. In an alternative embodiment, the user may select a desired bar rather than selecting a corresponding check box. Fig. 3B illustrates that the user has selected the third quarter to see why sales may have dipped in that quarter. However, the user may want to see the results in a line chart to more fully understand the data. Therefore, as is well known in the art, the user may select from a pull down menu that the result of the modified query be displayed as a line chart.

Fig. 3C illustrates that selection with a line chart 350. At this point, the user may wish to see more details about the two downturns that occurred. For a line chart or a scatter diagram, a box (or cube for 3-d graphs) is preferably used to select one or more areas of the chart for further investigation. As shown in Fig. 3D, rectangular boxes 355 and 356 may be used to specify a ranges of values to be inspected in greater detail. For unambiguous interpretation on the attribute values represented in a graph's X axis or Y axis, the box is preferably maintained in a horizontal or vertical orientation. This box can be directly manipulated by a user to change its size, shape, and location. The user can drag a corner of the box to re-size it or drag the inner area of the box to move

it. The user can invoke multiple boxes as illustrated to generate multiple sets of conditions. As shown in Fig. 3D, the query statement has been modified by the location of the boxes. Once the user presses enter or clicks a second button on the mouse, Fig. 3E is generated to reflect the selection. As shown in Fig. 3E, there occurred a no sale day before each downturn in sales that was not visible in the previous higher level charts. The user can now research how these no sale days occurred to understand why sales dipped in the third quarter. It is readily apparent that the present invention provides easily accessed, powerful, and iterative capabilities to the user to aid in problem solving and data presentation.

Figs. 4A-4C illustrate a flowchart for performing a preferred embodiment of the invention. In a first step 500, query and graph windows are displayed. In step 510, the user provides a query statement. In step 520, the processing system executes the query, thereby retrieving data from a database for display. In step 530, it is determined whether this is a new graph or query or whether the query fields are different. If so, then in step 540 the graph type is obtained from the user.

In step 550, if the graph type is a bar or pie chart then processing continues to step 560. In step 560, the user chooses a result field to represent the text labels for each bar or wedge. In step 570, for each section the user chooses a result field to represent the sides of each bar or wedge. In step 580, the pie or bar graph is then drawn according to the user specifications. Then, in step 590, a check box is drawn under each bar or within each wedge. In step 600, the user may then click on any desired check boxes and press enter. In step 610, if the user clicked on any check boxes, then processing continues to step 620 else processing continues to step 630. In step 620, an "and (" clause is appended to a WHERE clause in the query statement in the preferred embodiment. This step is to limit the query statement to select data from the database corresponding to the user selected portions of the graph. In step 630, for each check box clicked by the user, a corresponding modification is made to the query statement. That is, each category or range selected is OR'd with each other category or range selected so that the query statement will obtain data from the database corresponding to each selected portion of the graph. In step 640, an ")" is appended to the end of the WHERE clause. In step 650 the modified query is then executed and the result is obtained from the database and stored in the result buffer. In step 660, the graph window is displayed and processing returns to step 530.

In step 550, if the graph type is not a value type bar or pie chart, then processing continues to

step 700. In step 700, if it is determined whether the graph type is a histogram type bar or pie chart then processing continues to step 705. If it is determined that in step 705 that the graph type is a bar chart, then in step 710 the user enters the units for a Y axis of the graph. In step 720, the user enters an expression for each bar or wedge of the graph. In step 730, the pie or bar graph is drawn according to the user's specifications. In step 740, a check box is drawn under each bar or within each wedge. In step 750, the user clicks on any desired check boxes and presses enter. In step 760, if the user clicks on any check boxes, then in step 770 an "AND (" is appended to the query statement. In step 780, for each check box clicked by the user, a corresponding modification is made to the query statement as described above with reference to step 630. In step 790, an ")" is appended to the end of the where clause. Processing then continues to step 650 as described above.

In step 700, if it is determined that the graph type is not a histogram type bar or pie chart, then processing continues to step 800. In step 800, the user enters labels for the X and Y axis. In steps 810 and 820, the user enters result fields or expression to be graphed as the X and Y axis values. In step 830, the line or scatter chart is drawn to user specifications. In step 840, the user generates selection boxes around any desired ranges of the line or scatter chart. If, in step 850, it is determined that the user generated some selection boxes, then in step 860 an "AND (" is appended to the query statement. In steps 870 and 880, for each selection box generated by the user, a corresponding modification is made to the query statement as described above with reference to step 630. In step 890, an ")" is appended to the end of the where clause. Processing then continues to step 650 as described above.

Throughout the above described process, the user may use the mouse to click on the query window in step 900. If so, then in step 910, the existing query is displayed in the query window. In step 920, the user may then type in any modifications to the query or type in a new query. Processing then continues to step 650 as described above. The user may also use the mouse to click on a pull down menu bar to change the graph information in step 950. If so, then processing continues to step 540 as described above.

The present invention is not restricted to two dimensional graphics. Using the techniques defined herein, the present invention can also be easily applied to three dimensional graphics. The implementation would be a logical extension of the above described processes, and will be readily apparent to one of ordinary skill in the art. For example, for three dimensional bar or sphere

charts, the user could select the desired categories directly with a mouse or check boxes could be provided for each region. For three dimensional surface charts, the user could utilize a three dimensional cube instead of a two dimensional box as described above with reference to the line chart. To avoid any ambiguity in utilizing a three dimensional box, the box would preferably maintain its (x,y,z) axis orientations during user manipulation. In interpreting the effects of direct manipulations on this box, this (x,y,z) axis orientation will be used to determine the meaning of a dragging operations. That is, when a corner of the box is dragged, the box is resized according to the new location of the corner. The user could then toggle between the X-Y, X-Z, and Y-Z planes for the movement of the corner to avoid ambiguity. When a side surface of the box is dragged, the box could be relocated accordingly. The user could also drag endpoints defined on the x, y, and z axis. The implementation is similar to the two dimensional line chart. Instead of providing two conditions (x and y axis) for each box, three conditions are provided (x, y, and z). Conditions within a box are joined by logical ORs. Conditions between boxes are collectively joined with AND conditions.

In addition, the present invention is not restricted to graphs related with business or scientific data only. It can also be applied to graphs for multimedia applications. As depicted in Fig. 5, a film archival system, which when searched will display results in full motion video including sound, is an ideal application. By using the query statement to select a list of frames and by presenting the results in the graph window 320, this present invention can effectively be used to find clips within the database of video. One relational database table could contain records which each have a movie or selection name, the name of the file that contains the movie, a frame identifier that contains the offset within the file of the frame in question, and a time stamp for synchronization purposes where the frame is displayed at this time stamp. The query in query window 310 could read SELECT FRAMES, FROM movie-table, WHERE TIME > 1:00:00 and TIME < 1:00:30, MOVIE = "Terminator 5". This query statement would display 30 seconds of video within graph window 320. To make scrolling through the frames effective, buttons 365 for front, back, fast, slow and regular may be used in combination for fast forward (front with fast), fast rewind (back with fast), play (front and regular), play backwards (back with regular), and single step (front or back with slow) could be presented and used. The user could then modify the query statement by selecting desired frames or groups of frames by actually selecting the images as they are displayed or by selecting a check box 370 as the images are

displayed. As described above, each selection will modify the query statement provided in the query window. Of course, a separate sound query statement and window may be provided concurrently with a video window, thereby allowing the user to mix various media concurrently.

The present invention has several advantages. Users can more easily modify a database query by simply manipulating a visible graph. A user may investigate a particular portion of a graph without having to determine the exact coordinates of the desired portion. The user may use multiple boxes to specify complicated conditions. In addition, the information displayed in the graphs may include multimedia data such as screen images or audio signals.

Claims

1. An apparatus for modifying a database query comprising:
 - means (300) for graphically displaying in at least two dimensions data (330) obtained from a database by the database query;
 - means (335) for selecting at least one portion of the graphically displayed data (330); and
 - means for modifying the database query according to the selected portion of the graphically displayed data (330).
2. The apparatus of Claim 1 further comprising means for iteratively actuating said means (300) for graphically displaying, means (335) for selecting and means for modifying.
3. The apparatus of Claim 1 or 2 wherein the means (300) for graphically displaying includes means for graphically displaying a line chart (350) of the data obtained by the database query.
4. The apparatus of Claim 3 wherein the means (335) for selecting includes means for utilizing a variable sized box (355,356) to select at least one portion of the line chart (350).
5. The apparatus of any Claim from 1 to 4 wherein the means for selecting (335) includes means for selecting multiple portions of the graphically displayed data (330).
6. The apparatus of any Claim from 1 to 5 wherein the means for modifying includes means for modifying the database query with a WHERE clause according to the selected portion of the graphically displayed data (330).

7. A method for modifying a database query comprising the steps of:
graphically displaying in at least two dimensions data (330) obtained from a database by the database query; 5
selecting at least one portion of the graphically displayed data (330); and
modifying the database query according to the selected portion of the graphically displayed data (330). 10
8. The method of Claim 7 further comprising the step of repeating the steps of graphically displaying, selecting and modifying. 15
9. The method of Claim 7 or 8 wherein the step of graphically displaying includes graphically displaying a line chart (350) of the data obtained by the database query. 20
10. The method of Claim 9 wherein the step of selecting includes utilizing a variable sized box (355,356) to select at least one portion of the line chart (350). 25
11. The method of any Claim from 7 to 10 wherein the step of selecting includes selecting multiple portions of the graphically displayed data (330). 30
12. The method of any Claim from 7 to 11 wherein the step of modifying includes modifying the database query with a WHERE clause according to the selected portion of the graphically displayed data (330). 35
13. A data processing system including the apparatus of any Claim from 1 to 6. 40

45

50

55




FIG. 1




FIG. 2A




FIG. 2B




FIG. 3A




FIG. 3B




FIG. 3C






FIG. 4A








FIG. 4D




FIG. 5



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 94 10 7175

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.CLS)
X	EP-A-0 477 152 (I.B.M. CORPORATION) 25 March 1992 * abstract *	1,7	G06F15/403
A	EP-A-0 491 517 (I.B.M. CORPORATION) 24 June 1992 * abstract; claims 1-10; figure 5I *	1,7	
			TECHNICAL FIELDS SEARCHED (Int.CLS)
			G06F
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 20 September 1994	Examiner Katerbau, R
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons * : member of the same patent family, corresponding document	

EPO FORM 1503 03.92 (P04C01)




FIG. 3D




FIG. 3E

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference 4897/555	FOR FURTHER ACTION see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. PCT/US 00/ 27055	International filing date (day/month/year) 29/09/2000	(Earliest) Priority Date (day/month/year) 30/09/1999
Applicant BATTELLE MEMORIAL INSTITUTE		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 3 sheets.

☒ It is also accompanied by a copy of each prior art document cited in this report.

1. Basis of the report

- a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.

☐ the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

- b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing :

☐ contained in the international application in written form.

☐ filed together with the international application in computer readable form.

☐ furnished subsequently to this Authority in written form.

☐ furnished subsequently to this Authority in computer readable form.

☐ the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

☐ the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ **Certain claims were found unsearchable** (See Box I).

3. ☐ **Unity of invention is lacking** (see Box II).

4. With regard to the **title**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established by this Authority to read as follows:

5. With regard to the **abstract**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No.

☐ as suggested by the applicant.

☒ because the applicant failed to suggest a figure.

☐ because this figure better characterizes the invention.

2

☐ None of the figures.

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G06F19/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	HOBOHM U ET AL: "A SEQUENCE PROPERTY APPROACH TO SEARCHING PROTEIN DATABASES" JOURNAL OF MOLECULAR BIOLOGY, LONDON, GB, vol. 251, 1995, pages 390-399, XP000984375 ISSN: 0022-2836 abstract page 391, right-hand column, paragraph 1 ---	1-21
X	HEEL VAN M: "A NEW FAMILY OF POWERFUL MULTIVARIATE STATISTICAL SEQUENCE ANALYSIS TECHNIQUES" JOURNAL OF MOLECULAR BIOLOGY, LONDON, GB, vol. 220, 1991, pages 877-887, XP000984376 ISSN: 0022-2836 abstract page 884, right-hand column, paragraph 2 - paragraph 3 --- -/--	1-21

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

G document member of the same patent family

Date of the actual completion of the international search

20 August 2001

Date of mailing of the international search report

27/08/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Fillooy García, E

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	HIGGINS D G: "SEQUENCE ORDINATIONS: A MULTIVARIATE ANALYSIS APPROACH TO ANALYSING LARGE SEQUENCE DATA SETS" COMPUTER APPLICATIONS IN THE BIOSCIENCES, IRL PRESS, OXFORD, GB, vol. 8, no. 1, 1992, pages 15-22, XP000984377 ISSN: 0266-7061 the whole document	1-21
A	US 5 930 784 A (HENDRICKSON BRUCE A) 27 July 1999 (1999-07-27) cited in the application	

1

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 00/27055

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5930784 A	27-07-1999	NONE	

